

Personal Care

AAK

face care rituals

step

2

Nourishing
& replenishing

Moisture Surge Watery Essence

Moisture Surge Watery Essence

Raw Material	INCI Name	w/w (%)
Phase A		
Water deionised	Aqua	Ad 100.00
Glycerin 99%	Glycerin	3.00
Zemea	Propanediol	3.00
Lexgard PE 9010	Phenoxyethanol, Ethylhexylglycerin	1.00
Akoline SL™	Sodium Stearoyl Lactylate	0.50
AquaMax LM	Potassium Hydrolyzed Polygamma-Glutamate	0.10
Phase B		
Hyaluronic Acid Na-salt 1,8 - 2,2 MDa	Sodium Hyaluronate	0.10
Pemulen TR 1	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.40
Keltrol CG-SFT	Xanthan Gum	0.25
Phase C		
Akoline PG7™	Polyglyceryl-3 Stearate	2.00
Emulmetik 300	Lecithin	0.20
Lipex SheaLight™	Shea Butter Ethyl Esters	4.00
Lipex SheaTris™	Butyrospermum Parkii Butter Extract	0.50
Lipex Collect™	Phytosteryl Canola Glycerides	1.00
LexFeel N 5	Diheptyl Succinate, Capryloyl Glycerin/Sebacic Acid Copolymer	2.00
Akoline MCM™	Caprylic/Capric Glycerides	0.50
Copherol F1300 C	Tocopherol	0.50
Phase D		
NaOH 18%	Sodium Hydroxide	0.40
Water deionised	Aqua	2.00
Phase E		
Ethyl Ascorbic Acid	Ethyl Ascorbic Acid	0.50
Water deionised	Aqua	3.00
Phase F		
Panthenol 75%	Pantenol	1.00
Phytosan K	Aqua, Glycerin, Glycine Soja Seed Extract	2.00
Phase G		
Alcohol Denat.	Alcohol Denat.	5.00
Phase H		
Age Renew AF SOL 28115/10	Parfum	0.60

Procedure

- 1 Blend phase A and begin heating to 80°C
- 2 Add phase B ingredients one at a time to hot phase A and stir vigorously
- 3 Heat phase C to 80°C and mix until melted and homogenous
- 4 Add phase C to merged phase (A+B) while mixing
- 5 Homogenize
- 6 After homogenization, add phase D (dissolved NaOH) while stirring
- 7 Cool to 30°C while stirring
- 8 Prepare phase E (dissolve Ethyl Ascorbic Acid) and carefully add to mixture
- 9 Add phase F ingredients one at a time while stirring
- 10 Slowly add phase G while stirring
- 11 Add phase H and stir well