

Formulation

AAK-18- 2435

Shea Innovations Cashmere Soft Hand Care

Raw Material	INCI-Name	w/w (%)
Phase A		
Water	Aqua	ad 100
Akoline SL	Sodium Stearoyl Lactylate	0.75
Glycerin	Glycerin	5.00
Cosphaderm X Soft	Xanthan gum	0.50
Phase B		
Tegin 4100	Glyceryl Stearate	1.00
Cutina FS 45	Stearic Acid (and) Palmitic Acid	2.00
Lanette O	Cetearyl Alcohol	3.50
Lipex SheaLight™	Shea Butter Ethyl Esters	9.00
Lipex SheaSoft™	Butyrospermum Parkii Butter	12.00
Phase C		
Maisita 9040	Zea Mays Starch	3.50
Phase D		
Preservative	Preservative	q.s.
Fragrance	Parfum	

Procedure

1. Prepare Phase A and B separately.
2. Heat phases to 75°C.
3. Merge phases and start mixing with medium speed.
4. Homogenize.
5. Cool to 30°C while stirring.
6. Add Phase C to the emulsion and continue to stir so that the starch disperses homogeneously in the cream.
7. Add Phase D to the emulsion
8. Check pH and adjust if necessary

A simple and highly effective formula inspired by the feel of luxury fabrics on skin to deliver the same indulgent touch. This is achieved through a rich emollient base featuring high performance shea ingredients – soft and creamy Lipex SheaSoft and our eco-designed liquid shea ester, Lipex SheaLight. The rapid crystallisation pattern of Lipex SheaSoft creates the smooth, rich base and forms a protective lipid barrier that reduces trans-epidermal water loss and seals in moisture when applied to the skin. Lipex SheaLight is used as a sensory enhancer to improve aesthetics, imparting a silicone-type effect and improving the overall end-user experience. The result is a luscious and eco-conscious hand cream made from 97% natural ingredients that effectively seals in moisture to rebalance and rehydrate the skin, leaving even the driest hands looking and feeling soothed, softened and restored.

The information given concerning the application and product technology represents our state of knowledge and no claims are made as to its completeness. The information given does not free the user of his own responsibility for comprehensive testing before production. We therefore disclaim any responsibility for the accuracy of the information given.